

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/669,488	09/23/2003	Jerry E. Heinzeroth	092303	3971	
7	590 09/29/2005		EXAMINER		
THOMAS E. FRANTZ			SY, MARIANO ONG		
604 4TH STRE FORT MADIS	SET ON, IA 52627		ART UNIT	PAPER NUMBER	
ŕ			3683		
			DATE MAILED: 09/29/2005	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/669,488	HEINZEROTH, JERRY	E.			
		Examiner	Art Unit				
		Mariano Sy	3683				
Period fo	The MAILING DATE of this commun or Reply	ication appears on the cover sheet w	rith the correspondence address	S			
WHI( - Exte after - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MINIOR OF THE MINIOR OF THE MINIOR OF THE MONTHS FROM THE MINIOR OF THE MONTHS FROM THE MINIOR OF THE MONTHS FROM THE MONTHS FROM THE MONTHS AND	AILING DATE OF THIS COMMUN of 37 CFR 1.136(a). In no event, however, may a nunication.  atutory period will apply and will expire SIX (6) MO will, by statute, cause the application to become A	CATION. reply be timely filed  NTHS from the mailing date of this commun BANDONED (35 U.S.C. § 133).				
Status	,						
1)🖂	Responsive to communication(s) file	ed on <u>27 <i>July 2005</i></u> .					
2a)□	This action is <b>FINAL</b> .	2b)⊠ This action is non-final.					
3)□	Since this application is in condition	for allowance except for formal ma	ters, prosecution as to the mer	its is			
	closed in accordance with the practic	ce under <i>Ex parte Quayl</i> e, 1935 C.I	D. 11, 453 O.G. 213.				
Disposit	ion of Claims						
4)⊠	Claim(s) 1-22 is/are pending in the a	pplication.					
	4a) Of the above claim(s) <u>16 and 19-22</u> is/are withdrawn from consideration.						
5)🖂	5)⊠ Claim(s) <u>1-4,12-14 and 17</u> is/are allowed.						
	6)⊠ Claim(s) <u>5-11</u> is/are rejected.						
7)🖂	7)⊠ Claim(s) <u>15 and 18</u> is/are objected to.						
8)[	Claim(s) are subject to restric	tion and/or election requirement.					
Applicat	ion Papers	•					
9)[	The specification is objected to by the	e Examiner.					
	The drawing(s) filed on is/are:		by the Examiner.				
	Applicant may not request that any object		•				
	Replacement drawing sheet(s) including	-	• •	I21(d).			
11)	The oath or declaration is objected to						
Priority (	ınder 35 U.S.C. § 119						
	Acknowledgment is made of a claim t	for foreign priority under 35 U.S.C.	§ 119(a)-(d) or (f).				
a)	☐ All b)☐ Some * c)☐ None of:						
	1. Certified copies of the priority						
	2. Certified copies of the priority						
		of the priority documents have beer	received in this National Stage	e ·			
		nal Bureau (PCT Rule 17.2(a)).					
- 5	See the attached detailed Office action	n for a list of the certified copies not	received.				
A44 = - E	W-1						
Attachmen	t(s) e of References Cited (PTO-892)	<del></del>	) (DTC 110)				
2) Notic	e of Draftsperson's Patent Drawing Review (P	TO-948) Paper No	Summary (PTO-413) s)/Mail Date				
3) 🔯 Inforr	nation Disclosure Statement(s) (PTO-1449 or I r No(s)/Mail Date <u>01152005</u> .	PTO/SB/08) 5) D Notice of	nformal Patent Application (PTO-152)				
J.S. Patent and Ti		6)	<del></del> ·				
PTOL-326 (R		Office Action Summary	Part of Paper No./Mail Date 092	212005			

Application/Control Number: 10/669,488 Page 2

Art Unit: 3683

## **DETAILED ACTION**

1. Applicant's election with traverse of Specie A, figures 1-8, claims 1-15, 17, and 18 in the reply filed on July 27, 2005 is acknowledged. The traversal is on the ground(s) that search and examination of all species herein could be made without serious burden. This is not found persuasive because claim 16 reads on Specie B, figure 9 wherein the rod is fixed and the device is movable; claims 19 and 20 read on Specie C, figure 10 wherein the bushing having end flanges of equal diameter and the restraining means comprises a ring member; claims 21 and 22 read on Specie E, figure 12 wherein the pressure unit remote from the clamp unit which are structurally distinct.

The requirement is still deemed proper and is therefore made FINAL.

- 2. The disclosure is objected to because of the following informalities:
  page 24, line 16 delete "I claim:", note --I claim-- should be moved to the top of claim 1.
  Appropriate correction is required.
- 3. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited.

4. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is

Art Unit: 3683

requested in correcting any errors of which applicant may become aware in the specification.

5. Claims 8, 15, and 18 are objected to because of the following informalities:

Claim 8, line 8 "their said inner" should be --said inner--,

Claim 8, line 9 "its said inner" should be --said inner--,

Claim 15, line 2 "cross section" should be --cross section. --.

Claim 18, line 64 "their said inner" should be --said inner--,

Claim 18, line 65 "its said inner" should be --said inner--.

Appropriate correction is required.

## Drawings

6. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "rectangular in cross section" in claim 14, line 2 wherein figure 8 showed a "square cross section"; the "octagonal in cross section in claim 15, line 2 wherein figure 7 showed a "hexagonal cross section" must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure

Application/Control Number: 10/669,488

Art Unit: 3683

number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next

Office action. The objection to the drawings will not be held in abeyance.

Page 4

7. The drawings are objected to because a missing arrow leading numeral "10" to the part on lower left of Fig. 4. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after

the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

## Claim Rejections - 35 USC § 112

- 8. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 9. Claims 5-11 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 5 recites the limitation "said annular space" in line 5. There is insufficient antecedent basis for this limitation in the claim.

Claim 7 recites the limitation "said ring shaped actuating piston" in lines 5-6.

There is insufficient antecedent basis for this limitation in the claim.

Claims 6 and 8-11 are indefinite due to their dependency on claims 5 and 7.

10. Claims 5 and 7 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph.

Application/Control Number: 10/669,488 Page 6

Art Unit: 3683

11. Claims 15 and 18 would be allowable if rewritten to overcome the objection(s) recited in paragraph 5 of this office action.

- 12. Claims 1-4, 12-14, and 17 are allowed.
- 13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mariano Sy whose telephone number is 571-272-7126. The examiner can normally be reached on Mon.-Fri. from 8:30 A.M. to 2:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles A. Marmor, can be reached on 571-272-7095. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

M. Sy

September 21, 2005

THOMAS VILLEARS
FATERY SCIENCE:

AU 1683

9-27-01